NSN 4140-00-998-2911



Circulating Fan - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4140-00-998-2911 **Speed Adjustments:** Single speed Length: 2.938 inches Flow Direction: Inward **Environmental Protection:** Fungus resistant and humidity proof and shock proof and vibration proof **Ambient Tempurature At Full Rated Power:** -50.0 degrees celsius and 70.0 degrees celsius **Operating Speed At Rated Capacity In Rpm:** 3300.0 **Electrical Connection Type:** Terminal block Static Pressure At Specificationified Air Flow Rate: 0.0 inches of water **Drive Type:** Direct **Prime Mover Type:** Electric motor **Inclosure Type:** Fully enclosed **Rotation Direction For Which Designed:** Clockwise Air Flow Rate: 110.0 cubic feet per minute **Voltage In Volts And Current Type:** 115.0 ac **Housing Inside Diameter:** 6.000 inches **Prime Mover Drive Shaft Bearing Type:** Ball Phase: Single Frequency In Hertz: 50.0 and 60.0 Material: Aluminum **Surface Treatment:**

Anodize **Style Designator:** Fixed

NSN 4140-00-998-2911

Circulating Fan - Page 2 of 2



| _ | | | | | |
|---|---|------------|---|----|----|
| • | n | 0 1 | • | 12 | e: |
| | | | | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0