

View Online at <https://aerobasegroup.com/nsn/4140-00-999-7355>

**Speed Adjustments:**

Single speed

**Diameter:**

3.000 inches

**Length:**

1.590 inches

**Flow Direction:**

Inward

**Ambient Temperature At Full Rated Power:**

21.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

2900.0

**Electrical Connection Type:**

Terminal block

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

2 flange

**Rotation Direction For Which Designed:**

Clockwise

**Air Flow Rate:**

20.0 cubic feet per minute

**Voltage In Volts And Current Type:**

115.0 ac

**Prime Mover Power Rating:**

0.016 horsepower

**Housing Inside Diameter:**

3.250 inches

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Phase:**

Single

**Frequency In Hertz:**

60.0 and 400.0

**Material:**

Aluminum alloy

**Style Designator:**

Fixed

**Test Data Document:**

18876-10653525 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0