

View Online at <https://aerobasegroup.com/nsn/4140-00-999-7355>

Speed Adjustments:

Single speed

Diameter:

3.000 inches

Length:

1.590 inches

Flow Direction:

Inward

Ambient Temperature At Full Rated Power:

21.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

2900.0

Electrical Connection Type:

Terminal block

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

2 flange

Rotation Direction For Which Designed:

Clockwise

Air Flow Rate:

20.0 cubic feet per minute

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

0.016 horsepower

Housing Inside Diameter:

3.250 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Single

Frequency In Hertz:

60.0 and 400.0

Material:

Aluminum alloy

Style Designator:

Fixed

Test Data Document:

18876-10653525 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0