

View Online at <https://aerobasegroup.com/nsn/4140-01-012-3996>

**Speed Adjustments:**

Single speed

**Length:**

2.310 inches

**Flow Direction:**

Outward

**Ambient Temperature At Full Rated Power:**

-60.0 degrees fahrenheit and 130.0 degrees fahrenheit

**Operating Speed At Rated Capacity In Rpm:**

11000.0

**Electrical Connection Type:**

Terminal block

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

2 ring

**Rotation Direction For Which Designed:**

Clockwise

**Air Flow Rate:**

180.0 cubic feet per minute

**Voltage In Volts And Current Type:**

115.0 ac

**Housing Inside Diameter:**

3.500 inches

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Phase:**

Single

**Frequency In Hertz:**

400.0

**Material:**

Aluminum

**Surface Treatment:**

Enamel

**Surface Treatment Specification:**

Mil-e-5557, type 4 military specification single treatment response

**Style Designator:**

Fixed

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0

**Mil-std (military Standard):**

Mil-e-5557 spec.