

View Online at <https://aerobasegroup.com/nsn/4140-01-024-5578>

Stage Quantity:

1

Speed Adjustments:

Single speed

Width:

19.000 inches

Length:

8.250 inches

Operating Speed At Rated Capacity In Rpm:

3250.0

Electrical Connection Type:

Cord w/attached plug

Outlet Inside Width:

4.875 inches

Outlet Inside Height:

2.500 inches

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

2 flange

Rotation Direction For Which Designed:

Clockwise and counterclockwise

Features Provided:

Air filter and louver

Air Flow Rate:

475.0 cubic feet per minute

Outlet Location:

Top

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

0.241 horsepower

Prime Mover Drive Shaft Bearing Type:

Ball

Discharge Direction:

Vertical up

Phase:

Single

Special Features:

Provided w/stainless steel cabinet grill, knurled captive fasteners and permanent type washable aluminum filter, discharge opening located rear top of cabinet

Height:

7.000 inches

Material:

Steel

Quantity:

2

Surface Treatment:

Enamel housing outside

Style Designator:

Fixed, dual, rectangular outlets

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0