

View Online at <https://aerobasegroup.com/nsn/4140-01-024-5862>

**Stage Quantity:**

1

**Speed Adjustments:**

Single speed

**Width:**

10.500 inches

**Length:**

8.891 inches

**Environmental Protection:**

Shock proof and vibration proof

**Operating Speed At Rated Capacity In Rpm:**

1700.0

**Electrical Connection Type:**

Wire lead

**Outlet Inside Width:**

4.188 inches

**Outlet Inside Height:**

3.672 inches

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

1 flange and 4 unthreaded hole

**Rotation Direction For Which Designed:**

Clockwise

**Air Flow Rate:**

225.0 cubic feet per minute

**Outlet Location:**

Bottom or top

**Voltage In Volts And Current Type:**

115.0 ac

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Angular down and angular up and horizontal and vertical down and vertical up

**Phase:**

Single

**Special Features:**

Positioning when mtg determines discharge blast direction

**Height:**

9.781 inches

**Material:**

Steel

**Surface Treatment:**

Enamel housing

**Style Designator:**

Fixed, rectangular outlets

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0