

View Online at <https://aerobasegroup.com/nsn/4140-01-035-5296>

Stage Quantity:

1

Speed Adjustments:

Single speed

Width:

6.170 inches

Length:

7.120 inches

Operating Speed At Rated Capacity In Rpm:

3200.0

Electrical Connection Type:

Wire lead

Outlet Inside Width:

2.930 inches

Outlet Inside Height:

2.660 inches

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Mounting Facility Type And Quantity:

1 flange and 6 unthreaded hole

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

135.0 cubic feet per minute

Outlet Location:

Bottom or top

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Drive Shaft Bearing Type:

Ball

Discharge Direction:

Angular down and angular up and horizontal and vertical down and vertical up

Phase:

Single

Special Features:

Mtg hole in discharge flange subjected to paint removal for min 0.5 in. Diameter both sides to provide electrical contact for rfi/electro magnetic interference application, direction of discharge blast determined by positioning when mtg

Height:

7.630 inches

Material:

Steel housing

Surface Treatment:

Paint housing

Style Designator:

Fixed, rectangular outlets

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0