

View Online at <https://aerobasegroup.com/nsn/4140-01-035-5296>

**Stage Quantity:**

1

**Speed Adjustments:**

Single speed

**Width:**

6.170 inches

**Length:**

7.120 inches

**Operating Speed At Rated Capacity In Rpm:**

3200.0

**Electrical Connection Type:**

Wire lead

**Outlet Inside Width:**

2.930 inches

**Outlet Inside Height:**

2.660 inches

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Mounting Facility Type And Quantity:**

1 flange and 6 unthreaded hole

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

135.0 cubic feet per minute

**Outlet Location:**

Bottom or top

**Voltage In Volts And Current Type:**

115.0 ac

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Angular down and angular up and horizontal and vertical down and vertical up

**Phase:**

Single

**Special Features:**

Mtg hole in discharge flange subjected to paint removal for min 0.5 in. Diameter both sides to provide electrical contact for rfi/electro magnetic interference application, direction of discharge blast determined by positioning when mtg

**Height:**

7.630 inches

**Material:**

Steel housing

**Surface Treatment:**

Paint housing

**Style Designator:**

Fixed, rectangular outlets

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0