

View Online at <https://aerobasegroup.com/nsn/4140-01-035-5530>

**Length:**

1.562 inches

**Flow Direction:**

Reversible

**Operating Speed At Rated Capacity In Rpm:**

22500.0

**Electrical Connection Type:**

Terminal block

**Static Pressure At Specificationified Air Flow Rate:**

1.5 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Partially enclosed

**Mounting Facility Type And Quantity:**

1 clamp ring

**Rotation Direction For Which Designed:**

Clockwise and counterclockwise

**Air Flow Rate:**

22.0 cubic feet per minute

**Voltage In Volts And Current Type:**

115.0 ac

**Housing Inside Diameter:**

1.750 inches

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Phase:**

Single

**Frequency In Hertz:**

400.0

**Material:**

Aluminum

**Quantity:**

1

**Surface Treatment:**

Anodize housing outside and enamel housing outside

**Surface Treatment Specification:**

Mil-e-5557, type 4 military specification single treatment response blade

**Style Designator:**

Fixed

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0

**Mil-std (military Standard):**

Mil-a-8625 spec.