

View Online at <https://aerobasegroup.com/nsn/4140-01-041-4886>

**Stage Quantity:**

1

**Speed Adjustments:**

Single speed

**Length:**

2.310 inches

**Flow Direction:**

Outward

**Ambient Temperature At Full Rated Power:**

125.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

12500.0

**Electrical Connection Type:**

Terminal block

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

2 rim

**Rotation Direction For Which Designed:**

Counterclockwise

**Features Provided:**

Radio interference shielding

**Air Flow Rate:**

87.0 cubic feet per minute

**Voltage In Volts And Current Type:**

26.5 dc

**Prime Mover Power Rating:**

90.0 watts

**Housing Inside Diameter:**

2.660 inches

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Phase:**

Single

**Special Features:**

Requires capacitor and batav inverter for operation

**Frequency In Hertz:**

400.0

**Material:**

Aluminum alloy

**Surface Treatment:**

Enamel

**Style Designator:**

Fixed

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0