

View Online at <https://aerobasegroup.com/nsn/4140-01-045-7768>

**Speed Adjustments:**

Single speed

**Width:**

3.140 inches

**Length:**

Between 1.625 inches and 1.665 inches

**Flow Direction:**

Outward

**Ambient Temperature At Full Rated Power:**

-28.9 degrees celsius and 60.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

3200.0

**Electrical Connection Type:**

Terminal

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

8 unthreaded hole

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

37.000 cubic feet per minute

**Voltage In Volts And Current Type:**

28.0 ac

**Prime Mover Power Rating:**

0.030 horsepower

**Housing Inside Diameter:**

2.812 inches

**Prime Mover Drive Shaft Bearing Type:**

Sleeve

**Phase:**

Single

**Special Features:**

Designed for operatiOn on low voltage sq wave power supply from 28 volt dc to ac inverter, inverter not included

**Frequency In Hertz:**

60.0

**Height:**

3.140 inches

**Material:**

Aluminum alloy

**Surface Treatment:**

Enamel lusterless

**Style Designator:**

Fixed

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0