

View Online at <https://aerobasegroup.com/nsn/4140-01-045-8747>

Stage Quantity:

1

Diameter:

3.880 inches

Length:

2.500 inches

Flow Direction:

Inward

Ambient Temperature At Full Rated Power:

-50.0 degrees celsius and 100.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

21000.0

End Application:

E3a program

Electrical Connection Type:

Wire lead

Static Pressure At Specificationified Air Flow Rate:

2.1 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

140.0 cubic feet per minute

Voltage In Volts And Current Type:

204.0 ac

Housing Inside Diameter:

4.150 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Three

Frequency In Hertz:

400.0

Material:

Aluminum

Material Specification:

Mil-e-5400 military specification 1st material response

Quantity:

1

Unpackaged Unit Weight:

2.000 pounds

Surface Treatment:

Anodize or paint

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0

Mil-std (military Standard):

Mil-e-5400 spec.