

View Online at <https://aerobasegroup.com/nsn/4140-01-048-3340>

**Stage Quantity:**

1

**Speed Adjustments:**

Single speed

**Width:**

6.310 inches

**Diameter:**

6.000 inches

**Length:**

8.620 inches

**Ambient Temperature At Full Rated Power:**

-55.0 degrees celsius and 65.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

3200.0

**Electrical Connection Type:**

Wire lead

**Outlet Inside Width:**

3.000 inches

**Outlet Inside Height:**

2.100 inches

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

6 threaded insert

**Rotation Direction For Which Designed:**

Clockwise

**Air Flow Rate:**

315.000 cubic feet per minute

**Outlet Location:**

Bottom or top

**Voltage In Volts And Current Type:**

208.0 ac

**Prime Mover Power Rating:**

0.438 horsepower

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Angular down and angular up and horizontal and vertical down and vertical up

**Phase:**

Three

**Special Features:**

Inverted design, ccw impeller rotation as viewed from closed side, positioning when mtg determines blast direction

**Height:**

9.640 inches

**Material:**

Steel

**Quantity:**

1

**Surface Treatment:**

Zinc housing and enamel lusterless housing

**Style Designator:**

Fixed, inverted, rectangular outlet

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0