

View Online at <https://aerobasegroup.com/nsn/4140-01-049-8312>

Stage Quantity:

1

Speed Adjustments:

Single speed

Width:

5.875 inches

Length:

5.141 inches

Environmental Protection:

Humidity proof and salt spray resistant and shock proof and vibration proof

Operating Speed At Rated Capacity In Rpm:

3300.0

Electrical Connection Type:

Connector

Outlet Inside Width:

2.094 inches

Outlet Inside Height:

2.406 inches

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Rotation Direction For Which Designed:

Clockwise

Air Flow Rate:

93.0 cubic feet per minute

Outlet Location:

Top

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

0.067 horsepower

Prime Mover Drive Shaft Bearing Type:

Ball

Discharge Direction:

Horizontal

Phase:

Single

Special Features:

Discharge adjustable in 90 degrees increments

Height:

5.500 inches

Material:

Steel

Style Designator:

Fixed, rectangular outlets

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0

Mil-std (military Standard):

Mil-b-23071 spec.