

View Online at <https://aerobasegroup.com/nsn/4140-01-065-1882>

**Stage Quantity:**

1

**Speed Adjustments:**

Single speed

**Width:**

11.810 inches

**Length:**

7.812 inches

**Ambient Temperature At Full Rated Power:**

40.0 degrees celsius and 70.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

2690.0 and 3690.0

**Electrical Connection Type:**

Connector

**Outlet Inside Width:**

4.156 inches

**Outlet Inside Height:**

3.344 inches

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

2 clamp and 4 threaded hole

**Rotation Direction For Which Designed:**

Clockwise

**Air Flow Rate:**

525.0 cubic feet per minute

**Outlet Location:**

Top

**Voltage In Volts And Current Type:**

208.0 ac or 230.0 ac

**Prime Mover Power Rating:**

228.800 watts and 270.400 watts

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Vertical up

**Phase:**

Three

**Special Features:**

Duct clamp outlet; rim clamp inlet

**Frequency In Hertz:**

50.0 and 60.0

**Height:**

8.718 inches

**Material:**

Steel

**Surface Treatment:**

Zinc blade

**Style Designator:**

Fixed, rectangular outlets

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0