NSN 4140-01-069-9028

Vaneaxial Fan - Page 1 of 2

Single speed Length:



View Online at https://aerobasegroup.com/nsn/4140-01-069-9028 Speed Adjustments:

4.310 inches					
Flow Direction:					
Outward					
Environmental Protection:					
Vibration proof					
Ambient Tempurature At Full Rated Power:					
-65.0 degrees fahrenheit and 190.0 degrees fahrenheit					
Operating Speed At Rated Capacity In Rpm:					
7800.0					
Electrical Connection Type:					
Wire lead					
Static Pressure At Specificationified Air Flow Rate:					
0.0 inches of water					
Drive Type:					
Direct					
Prime Mover Type:					
Electric motor					
Inclosure Type:					
Fully enclosed					
Mounting Facility Type And Quantity:					
1 flange and 4 unthreaded hole					
Rotation Direction For Which Designed:					
Counterclockwise					
Features Provided:					
Safety impeller guard					
Air Flow Rate:					
110.0 cubic feet per minute					
Voltage In Volts And Current Type:					
200.0 ac					
Prime Mover Power Rating:					
425.0 watts					
Housing Inside Diameter:					
4.500 inches					
Prime Mover Drive Shaft Bearing Type:					
Ball					
Phase:					
Three					
Frequency In Hertz:					
400.0					

NSN 4140-01-069-9028

Vaneaxial Fan - Page 2 of 2



M	12	te	ri	_	١.
IV	а	LE		•	ı .

Aluminum

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A087a0