

View Online at <https://aerobasegroup.com/nsn/4140-01-088-0401>

**Stage Quantity:**

1

**Speed Adjustments:**

Single speed

**Width:**

29.875 inches

**Length:**

27.438 inches

**Environmental Protection:**

Spray tight

**Ambient Temperature At Full Rated Power:**

149.0 degrees fahrenheit

**Operating Speed At Rated Capacity In Rpm:**

1750.0

**Electrical Connection Type:**

Terminal block

**Outlet Inside Width:**

16.125 inches

**Outlet Inside Height:**

11.500 inches

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

1 flange

**Rotation Direction For Which Designed:**

Counterclockwise

**Features Provided:**

Nonsparking

**Air Flow Rate:**

2000.0 cubic feet per minute

**Outlet Location:**

Bottom or top

**Voltage In Volts And Current Type:**

440.0 ac

**Prime Mover Power Rating:**

1.500 horsepower

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Angular down and angular up and horizontal and vertical down and vertical up

**Phase:**

Three

**Special Features:**

Adjustable to 8 positions of discharge 45 degrees apart

**Height:**

34.312 inches

**Material:**

Steel housing

**Material Specification:**

Qq-s-698 federal specification single material response

**Surface Treatment:**

Zinc housing outside

**Style Designator:**

Fixed, rectangular outlets

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0