

View Online at <https://aerobasegroup.com/nsn/4140-01-098-8706>

**Flow Direction:**

Outward

**Ambient Temperature At Full Rated Power:**

-45.0 degrees celsius and 71.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

7400.0

**Electrical Connection Type:**

Connector

**Static Pressure At Specificationified Air Flow Rate:**

2.5 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Partially enclosed

**Mounting Facility Type And Quantity:**

1 flange and 8 unthreaded hole

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

800.0 cubic feet per minute

**Voltage In Volts And Current Type:**

200.0 ac

**Housing Inside Diameter:**

7.080 inches

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Phase:**

Three

**Frequency In Hertz:**

400.0

**Material:**

Aluminum alloy

**Quantity:**

1

**Surface Treatment:**

Anodize

**Style Designator:**

Fixed

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0