

View Online at <https://aerobasegroup.com/nsn/4140-01-109-5542>

Speed Adjustments:

Single speed

Diameter:

5.765 inches

Length:

7.560 inches

Flow Direction:

Outward

Environmental Protection:

Shock proof and vibration proof

Ambient Temperature At Full Rated Power:

72.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

3160.0

Electrical Connection Type:

Wire lead

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

1 base plate and 6 threaded insert

Rotation Direction For Which Designed:

Clockwise

Air Flow Rate:

510.000 cubic feet per minute

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

0.552 horsepower

Housing Inside Diameter:

5.720 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Single

Special Features:

Peripheral discharge flow at right angle to axial intake

Frequency In Hertz:

50.0 and 60.0

Material:

Aluminum alloy

Quantity:

1

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A087a0