NSN 4140-01-113-5289

Centrifugal Fan - Page 1 of 2

Speed Adjustments:

Single speed

9.400 inches **Diameter:**

Width:



View Online at https://aerobasegroup.com/nsn/4140-01-113-5289

7.190 inches
Length:
11.781 inches
Ambient Tempurature At Full Rated Power:
20.0 degrees celsius
Operating Speed At Rated Capacity In Rpm:
3300.0
Electrical Connection Type:
Terminal box
Outlet Inside Width:
3.340 inches
Outlet Inside Height:
4.500 inches
Static Pressure At Specificationified Air Flow Rate:
3.75 inches of water
Drive Type:
Direct
Prime Mover Type:
Electric motor
Inclosure Type:
Fully enclosed
Fully enclosed Rotation Direction For Which Designed:
·
Rotation Direction For Which Designed:
Rotation Direction For Which Designed: Clockwise
Rotation Direction For Which Designed: Clockwise Features Provided:
Rotation Direction For Which Designed: Clockwise Features Provided: Safety impeller guard
Rotation Direction For Which Designed: Clockwise Features Provided: Safety impeller guard Air Flow Rate:
Rotation Direction For Which Designed: Clockwise Features Provided: Safety impeller guard Air Flow Rate: 580.0 cubic feet per minute
Rotation Direction For Which Designed: Clockwise Features Provided: Safety impeller guard Air Flow Rate: 580.0 cubic feet per minute Outlet Location:
Rotation Direction For Which Designed: Clockwise Features Provided: Safety impeller guard Air Flow Rate: 580.0 cubic feet per minute Outlet Location: Top
Rotation Direction For Which Designed: Clockwise Features Provided: Safety impeller guard Air Flow Rate: 580.0 cubic feet per minute Outlet Location: Top Voltage In Volts And Current Type:
Rotation Direction For Which Designed: Clockwise Features Provided: Safety impeller guard Air Flow Rate: 580.0 cubic feet per minute Outlet Location: Top Voltage In Volts And Current Type: 115.0 ac
Rotation Direction For Which Designed: Clockwise Features Provided: Safety impeller guard Air Flow Rate: 580.0 cubic feet per minute Outlet Location: Top Voltage In Volts And Current Type: 115.0 ac Prime Mover Drive Shaft Bearing Type:
Rotation Direction For Which Designed: Clockwise Features Provided: Safety impeller guard Air Flow Rate: 580.0 cubic feet per minute Outlet Location: Top Voltage In Volts And Current Type: 115.0 ac Prime Mover Drive Shaft Bearing Type: Ball
Rotation Direction For Which Designed: Clockwise Features Provided: Safety impeller guard Air Flow Rate: 580.0 cubic feet per minute Outlet Location: Top Voltage In Volts And Current Type: 115.0 ac Prime Mover Drive Shaft Bearing Type: Ball Discharge Direction:
Rotation Direction For Which Designed: Clockwise Features Provided: Safety impeller guard Air Flow Rate: 580.0 cubic feet per minute Outlet Location: Top Voltage In Volts And Current Type: 115.0 ac Prime Mover Drive Shaft Bearing Type: Ball Discharge Direction: Vertical up

NSN 4140-01-113-5289

Centrifugal Fan - Page 2 of 2



Height:
10.844 inches
Material:
Aluminum alloy
Quantity:
1
Surface Treatment:
Enamel lusterless
Style Designator:
Fixed, rectangular outlets
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A087a0