

NSN 4140-01-121-2181 Vaneaxial Fan - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4140-01-121-2181 Stage Quantity: **Speed Adjustments:** 

14.000 inches Flow Direction: Inward **Ambient Tempurature At Full Rated Power:** 50.0 degrees celsius **Operating Speed At Rated Capacity In Rpm:** 3450.0 **End Application:** 4130-00-913-4223cooler unit, air **Electrical Connection Type:** Wire lead Static Pressure At Specificationified Air Flow Rate: 0.0 inches of water **Drive Type:** Direct **Prime Mover Type:** Electric motor **Inclosure Type:** Fully enclosed **Mounting Facility Type And Quantity:** 1 flange and 12 unthreaded hole **Rotation Direction For Which Designed:** Clockwise **Features Provided:** Safety impeller guard Air Flow Rate: 310.0 cubic feet per minute **Voltage In Volts And Current Type:** 115.0 ac **Prime Mover Power Rating:** 0.083 horsepower **Housing Inside Diameter:** 7.000 inches Phase: Single **Special Features:** 12 in. Sq flange w/mtg holes at discharge end

Single speed Length:

## NSN 4140-01-121-2181

Vaneaxial Fan - Page 2 of 2



Frequency In Hertz:
60.0
Material:
Aluminum alloy
Quantity:
1
Surface Treatment:
Chromate zinc housing inside and varnish housing inside
Style Designator:
Fixed
Supplementary Features:
Applicable replacement motor fscm 57368 dwg 78h5152
Shelf Life:
Offer Life.
N/a
<del></del>
N/a
N/a Unit Of Measure:
N/a Unit Of Measure:
N/a Unit Of Measure: Demilitarization: