

View Online at <https://aerobasegroup.com/nsn/4140-01-121-2182>

Stage Quantity:

1

Speed Adjustments:

Single speed

Length:

15.375 inches

Flow Direction:

Inward

Ambient Temperature At Full Rated Power:

50.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

1740.0

End Application:

Mil-c-2939 size 55 class uw unit cooler

Electrical Connection Type:

Wire lead

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

1 flange and 24 unthreaded hole

Rotation Direction For Which Designed:

Clockwise

Features Provided:

Safety impeller guard

Air Flow Rate:

1620.000 cubic feet per minute

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

0.200 horsepower

Housing Inside Diameter:

13.000 inches

Phase:

Single

Special Features:

18 in. Sq flange w/mtg holes at discharge end

Frequency In Hertz:

60.0

Material:

Aluminum alloy

Quantity:

1

Surface Treatment:

Chromate zinc housing inside and varnish housing inside

Style Designator:

Fixed

Supplementary Features:

Applicable replacement motor fscm 99167 dwg 21039-1

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0

Mil-std (military Standard):

Mil-c-2939 spec.