

View Online at <https://aerobasegroup.com/nsn/4140-01-134-8082>

Speed Adjustments:

Single speed

Width:

4.690 inches

Length:

1.500 inches

Flow Direction:

Inward

Environmental Protection:

Fungus resistant and humidity proof and moisture resistant and salt spray resistant and shock proof and vibration proof

Operating Speed At Rated Capacity In Rpm:

2800.0

Electrical Connection Type:

Connector

Static Pressure At Specificationified Air Flow Rate:

0.1 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

8 unthreaded hole

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

85.000 cubic feet per minute

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

17.000 watts and 39.000 watts

Housing Inside Diameter:

4.125 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Single

Frequency In Hertz:

60.0 and 400.0

Height:

4.690 inches

Material:

Aluminum alloy housing

Unpackaged Unit Weight (non-core):

1.500 pounds

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0

Mil-std (military Standard):

Mil-b-23071 spec.