NSN 4140-01-149-4802

Vaneaxial Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-01-149-4802 **Speed Adjustments:** Single speed Length: 5.000 inches Flow Direction: Outward **Environmental Protection:** Vibration proof **Ambient Tempurature At Full Rated Power:** -54.0 degrees celsius and 85.0 degrees celsius **Operating Speed At Rated Capacity In Rpm:** 5600.0 **Electrical Connection Type:** Connector Static Pressure At Specificationified Air Flow Rate: 0.8 inches of water **Drive Type:** Direct **Prime Mover Type:** Electric motor **Inclosure Type:** Fully enclosed **Mounting Facility Type And Quantity:** 8 unthreaded hole **Rotation Direction For Which Designed:** Counterclockwise Air Flow Rate: 130.000 cubic feet per minute **Voltage In Volts And Current Type:** 208.0 ac **Prime Mover Power Rating:** 0.080 horsepower **Housing Inside Diameter:** Between 3.720 inches and 3.780 inches Phase: Three **Special Features:** Designed for raytheon co program an/trc-170 Frequency In Hertz: 400.0

Material: Aluminum

NSN 4140-01-149-4802

Vaneaxial Fan - Page 2 of 2



	S	ur	fa	се	Tr	e	at	m	er	١t	
--	---	----	----	----	----	---	----	---	----	----	--

Anodize

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0