NSN 4140-01-161-0794



Vaneaxial Fan - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4140-01-161-0794 **Speed Adjustments:** Single speed Diameter: Between 14.154 inches and 14.158 inches Flow Direction: Inward **Environmental Protection:** Spray tight **Ambient Tempurature At Full Rated Power:** 50.0 degrees celsius **Operating Speed At Rated Capacity In Rpm:** 3600.0 **End Application:** Ventilation systems, 2-18-2 and 2-65-2, used onboard 180 ft u. S. Coast guard vessels **Electrical Connection Type:** Wire lead Static Pressure At Specificationified Air Flow Rate: 1.5 inches of water **Drive Type:** Direct **Prime Mover Type:** Electric motor **Inclosure Type:** Fully enclosed **Mounting Facility Type And Quantity:** 1 flange and 16 unthreaded hole **Rotation Direction For Which Designed:** Clockwise Air Flow Rate: 2000.000 cubic feet per minute **Voltage In Volts And Current Type:** 440.0 ac **Prime Mover Power Rating:** 0.750 horsepower **Prime Mover Drive Shaft Bearing Type:** Ball Phase:

Three

Frequency In Hertz:

60.0

Material:

Steel housing

NSN 4140-01-161-0794

Vaneaxial Fan - Page 2 of 2



ı	ln	na	ck	cai	20	Ы	In	it '	W	nia	ht:
u	"	μα	U	۱aı	ue'	uι	JII	ıι	446	zιu	IIL.

115.000 pounds

Style Designator:

Straight tip

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A087a0