
# NSN 4140-01-175-9982

Tubeaxial Fan - Page 1 of 2





# Speed Adjustments:

Single speed

#### Width:

4.710 inches

## Length:

1.500 inches

#### **Flow Direction:**

Inward

#### Ambient Tempurature At Full Rated Power:

-18.0 degrees celsius and 70.0 degrees celsius

#### **Operating Speed At Rated Capacity In Rpm:**

2700.0 and 3200.0

#### **Electrical Connection Type:**

Wire lead

## Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

#### Drive Type:

Direct

## Prime Mover Type:

Electric motor

### Inclosure Type:

Fully enclosed

## Mounting Facility Type And Quantity:

8 unthreaded hole

## **Rotation Direction For Which Designed:**

Counterclockwise

### Air Flow Rate:

Between 88.0 cubic feet per minute and 105.0 cubic feet per minute

## Voltage In Volts And Current Type:

115.0 ac

#### **Prime Mover Power Rating:**

14.5 watts

#### Housing Inside Diameter:

4.500 inches

## Prime Mover Drive Shaft Bearing Type:

Sleeve

Phase:

Single

## Frequency In Hertz:

50.0 and 60.0

## Height:

4.710 inches

# NSN 4140-01-175-9982

Tubeaxial Fan - Page 2 of 2

Material:

Plastic phenolic housing

## Style Designator:

Fixed

Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A087a0

