NSN 4140-01-192-2939

Tubeaxial Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-01-192-2939

| Speed Adjustments: |
|---|
| Single speed |
| Width: |
| 3.140 inches |
| Length: |
| Between 1.625 inches and 1.665 inches |
| Flow Direction: |
| Outward |
| Ambient Tempurature At Full Rated Power: |
| 70.0 degrees celsius |
| Operating Speed At Rated Capacity In Rpm: |
| 2200.0 and 2600.0 |
| Electrical Connection Type: |
| Wire lead |
| Static Pressure At Specificationified Air Flow Rate: |
| 0.0 inches of water |
| Drive Type: |
| Direct |
| Prime Mover Type: |
| Electric motor |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Type And Quantity: |
| 6 unthreaded hole |
| Rotation Direction For Which Designed: |
| Counterclockwise |
| Air Flow Rate: |
| Between 23.0 cubic feet per minute and 27.0 cubic feet per minute |
| Voltage In Volts And Current Type: |
| 115.0 ac |
| Housing Inside Diameter: |
| 2.812 inches |
| Prime Mover Drive Shaft Bearing Type: |
| Sleeve |
| Phase: |
| Single |
| Frequency In Hertz: |
| 50.0 and 60.0 |
| Height: |
| 3.140 inches |
| Material: |

Zinc alloy housing

NSN 4140-01-192-2939

Tubeaxial Fan - Page 2 of 2



| Surface Treatment | |
|-------------------|--|
|-------------------|--|

Paint housing

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0