## NSN 4140-01-241-3697

Tubeaxial Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-01-241-3697 **Speed Adjustments:** Single speed Length: 1.310 inches Flow Direction: Inward **Ambient Tempurature At Full Rated Power:** 100.0 degrees celsius **Operating Speed At Rated Capacity In Rpm:** 5800.0 **Electrical Connection Type:** Terminal block Static Pressure At Specificationified Air Flow Rate: 0.0 inches of water **Drive Type:** Direct **Prime Mover Type:** Electric motor **Inclosure Type:** Fully enclosed **Mounting Facility Type And Quantity:** 2 rim and 3 clamp ring **Rotation Direction For Which Designed:** Clockwise Air Flow Rate: 27.0 cubic feet per minute **Voltage In Volts And Current Type:** 115.0 ac **Prime Mover Power Rating:** 12.000 watts **Housing Inside Diameter:** 3.064 inches **Prime Mover Drive Shaft Bearing Type:** Ball Phase: Single Frequency In Hertz: 60.0 Material: Aluminum alloy **Unpackaged Unit Weight:** 6.312 pounds

## NSN 4140-01-241-3697

Tubeaxial Fan - Page 2 of 2

A087a0



| Surface Treatment:                                             |
|----------------------------------------------------------------|
| Enamel                                                         |
| Surface Treatment Specification:                               |
| Tt-e-489 federal specification single treatment response blade |
| Style Designator:                                              |
| Fixed                                                          |
| Shelf Life:                                                    |
| N/a                                                            |
| Unit Of Measure:                                               |
|                                                                |
| Demilitarization:                                              |
| No                                                             |
| Filg:                                                          |