## NSN 4140-01-246-6845

Tubeaxial Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-01-246-6845 **Speed Adjustments:** 0 to full speed Diameter: 1.970 inches Flow Direction: Outward **Ambient Tempurature At Full Rated Power:** -10.0 degrees celsius and 65.0 degrees celsius **Operating Speed At Rated Capacity In Rpm:** 6500.0 **Electrical Connection Type:** Wire lead Static Pressure At Specificationified Air Flow Rate: 0.31 inches of water **Drive Type:** Direct **Prime Mover Type:** Electric motor **Inclosure Type:** Partially enclosed **Mounting Facility Type And Quantity:** 4 unthreaded hole **Rotation Direction For Which Designed:** Counterclockwise Air Flow Rate: 23.0 cubic feet per minute **Voltage In Volts And Current Type:** 24.0 dc **Prime Mover Power Rating:** 3.000 watts **Prime Mover Drive Shaft Bearing Type: Mounting Surface Plane (non-core):** Vertical **Err Default:** Err default **Shaft Bearing Type:** Ball Phase: Single Material:

Plastic polycarbonate housing

## NSN 4140-01-246-6845

Tubeaxial Fan - Page 2 of 2



<b>~</b> · ·	<b>—</b>	
STVID.	11001	anstar.
$\sigma$	DESI	gnator:
- ,		

Straight tip

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A087a0