## NSN 4140-01-249-3449

Tubeaxial Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-01-249-3449

| Speed Adjustments:                                   |
|--|
| Single speed   |
| Length:  |
| 1.500 inches   |
| Flow Direction:                                      |
| Outward  |
| Ambient Tempurature At Full Rated Power:             |
| 100.0 degrees celsius                                |
| Operating Speed At Rated Capacity In Rpm:            |
| 6000.0   |
| Electrical Connection Type:                          |
| Terminal block                                       |
| Static Pressure At Specificationified Air Flow Rate: |
| 0.0 inches of water                                  |
| Drive Type:  |
| Direct   |
| Prime Mover Type:                                    |
| Electric motor                                       |
| Inclosure Type:                                      |
| Fully enclosed                                       |
| Mounting Facility Type And Quantity:                 |
| 2 flange and 8 unthreaded hole                       |
| Rotation Direction For Which Designed:               |
| Clockwise  |
| Air Flow Rate:                                       |
| 60.0 cubic feet per minute                           |
| Voltage In Volts And Current Type:                   |
| 26.0 dc  |
| Prime Mover Power Rating:                            |
| 13.000 watts   |
| Housing Inside Diameter:                             |
| 2.750 inches   |
| Prime Mover Drive Shaft Bearing Type:                |
| Ball   |
| Material:  |
| Aluminum alloy                                       |
| Surface Treatment:                                   |
| Enamel   |
| Style Designator:                                    |
| Fixed  |
| Shelf Life:  |
| N/a  |
|  |

## NSN 4140-01-249-3449

Tubeaxial Fan - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A087a0

