

View Online at <https://aerobasegroup.com/nsn/4140-01-274-4757>

Speed Adjustments:

Single speed

Width:

Between 3.620 inches and 3.640 inches

Length:

Between 0.970 inches and 1.030 inches

Flow Direction:

Inward

Environmental Protection:

Shock proof and vibration proof

Ambient Temperature At Full Rated Power:

-10.0 degrees celsius and 60.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

2950.0

Electrical Connection Type:

Wire lead

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

8 unthreaded hole

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

48.0 cubic feet per minute

Voltage In Volts And Current Type:

12.0 dc

Prime Mover Power Rating:

2.9 watts

Housing Inside Diameter:

3.250 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Height:

Between 3.620 inches and 3.640 inches

Material:

Plastic

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0