

View Online at <https://aerobasegroup.com/nsn/4140-01-275-9725>

**Speed Adjustments:**

Single speed

**Width:**

19.000 inches

**Length:**

10.875 inches

**Environmental Protection:**

Corrosion resistant and dustproof and fungus resistant and shock proof and vibration proof

**Operating Speed At Rated Capacity In Rpm:**

3100.0

**Electrical Connection Type:**

Wire lead

**Outlet Inside Width:**

2.000 inches

**Outlet Inside Height:**

3.219 inches

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

1 rack

**Rotation Direction For Which Designed:**

Clockwise or counterclockwise

**Features Provided:**

Air filter and radio interference shielding and safety impeller guard

**Air Flow Rate:**

350.0 cubic feet per minute

**Outlet Location:**

Top

**Voltage In Volts And Current Type:**

115.0 ac

**Prime Mover Power Rating:**

200.0 watts

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Vertical up

**Phase:**

Single

**Frequency In Hertz:**

50.0 and 60.0

**Height:**

7.000 inches

**Material:**

Steel

**Quantity:**

1

**Surface Treatment:**

Enamel

**Style Designator:**

Fixed, dual, rectangular outlets

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0