

View Online at <https://aerobasegroup.com/nsn/4140-01-294-6472>

Speed Adjustments:

Single speed

Width:

Between 4.657 inches and 4.719 inches

Length:

Between 1.469 inches and 1.531 inches

Flow Direction:

Outward

Ambient Temperature At Full Rated Power:

155.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

2100.0 and 2500.0 and 1600.0

Electrical Connection Type:

Lead, molded-in

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

4 threaded hole

Rotation Direction For Which Designed:

Clockwise

Air Flow Rate:

74.0 cubic feet per minute and 88.0 cubic feet per minute and 59.0 cubic feet per minute

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

11.0 watts and 10.0 watts and 18.0 watts

Housing Inside Diameter:

4.000 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Single

Frequency In Hertz:

50.0 and 60.0 and 400.0

Height:

Between 4.657 inches and 4.719 inches

Cognizant Service (non-core):

Usn

Material:

Zinc housing

Unpackaged Unit Weight (non-core):

1.220 pounds

Surface Treatment:

Enamel

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0