

View Online at <https://aerobasegroup.com/nsn/4140-01-297-9901>

Speed Adjustments:

Two speed

Diameter:

2.812 inches

Ambient Temperature At Full Rated Power:

25.0 degrees celsius and 60.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

2700.0 and 3150.0

Electrical Connection Type:

Wire lead

Static Pressure At Specificationified Air Flow Rate:

2.0 millimeters of water

Drive Type:

Belt

Prime Mover Type:

Electric motor

Inclosure Type:

Guarded

Mounting Facility Type And Quantity:

4 unthreaded hole

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

Between 28.0 cubic feet per minute and 34.0 cubic feet per minute

Outlet Location:

Bottom

Voltage In Volts And Current Type:

220.0 ac or 230.0 ac

Prime Mover Power Rating:

9.0 watts and 10.0 watts

Prime Mover Drive Shaft Bearing Type:

Sleeve

Discharge Direction:

Horizontal

Shaft Bearing Type:

Sleeve

Phase:

Single

Frequency In Hertz:

50.0 and 60.0

Material:

Plastic polypropylene blade

Style Designator:

Straight tip

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0