

View Online at <https://aerobasegroup.com/nsn/4140-01-300-9363>

Speed Adjustments:

Single speed

Width:

3.622 inches

Length:

0.984 inches

Flow Direction:

Outward

Ambient Temperature At Full Rated Power:

25.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

2950.0

Electrical Connection Type:

Connector plug

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

8 flange

Rotation Direction For Which Designed:

Clockwise

Features Provided:

Electric noise suppressor and thermal protective device

Air Flow Rate:

Between 34.0 cubic feet per minute and 40.0 cubic feet per minute

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

12.0 watts

Housing Inside Diameter:

3.250 inches

Prime Mover Drive Shaft Bearing Type:

Sleeve

Phase:

Single

Frequency In Hertz:

50.0 and 60.0

Height:

3.622 inches

Material:

Zinc housing

Unpackaged Unit Weight:

13.900 ounces

Surface Treatment:

Enamel housing

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0