

View Online at <https://aerobasegroup.com/nsn/4140-01-303-5056>

Speed Adjustments:

Two speed

Length:

1.440 inches

Flow Direction:

Outward

Ambient Temperature At Full Rated Power:

-40.0 degrees celsius and 100.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

8400.0 and 17200.0

End Application:

Ecdc module

Electrical Connection Type:

Wire lead

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

3 threaded insert

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

Between 25.0 cubic feet per minute and 54.0 cubic feet per minute

Voltage In Volts And Current Type:

13.0 dc or 26.0 dc

Prime Mover Power Rating:

5.7 watts and 33.5 watts

Housing Inside Diameter:

1.890 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Material:

Aluminum

Unpackaged Unit Weight:

7.700 ounces

Surface Treatment:

Enamel

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0