

View Online at <https://aerobasegroup.com/nsn/4140-01-360-0242>

**Speed Adjustments:**

Single speed

**Width:**

Between 5.120 inches and 5.180 inches

**Length:**

Between 5.700 inches and 5.800 inches

**Flow Direction:**

Inward

**Ambient Temperature At Full Rated Power:**

-54.0 degrees celsius and 95.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

8000.0

**End Application:**

Milstar system

**Electrical Connection Type:**

Wire lead

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

226.0 cubic feet per minute

**Voltage In Volts And Current Type:**

200.0 ac

**Prime Mover Power Rating:**

374.0 watts

**Housing Inside Diameter:**

4.750 inches

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Phase:**

Three

**Frequency In Hertz:**

400.0

**Height:**

Between 5.120 inches and 5.180 inches

**Material:**

Aluminum bladealuminum housing

**Style Designator:**

Fixed

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0