

View Online at <https://aerobasegroup.com/nsn/4140-01-487-6227>

Diameter:

5.920 inches

Flow Direction:

Outward

End Application:

Aegis spy-1 (v) internal vse apl.L n/a for cosal

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Mounting Facility Type And Quantity:

2 threaded insert

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

Between 3270.0 cubic feet per minute and 5830.0 cubic feet per minute

Criticality Code Justification:

Feat

Product Name:

Drawing)fan assembly-tube axial

Special Features:

Items are being coded as critical to insure source inspection will be performed at the point of manufacture, prior to material receipt by the us navy or other dod components. These items are piece parts or end items in support of vital military hardware necessary to sustain the successful mission of the ships, submarines, and shore stations of the us navy. Critical features including, but not limited to, dimensions, tolerances/clearances, electronic characteristics, and metallurgical properties will bespecified for government q ar (quality assurance representatives) to insure the highest possible degree of quality and reliability of these parts being delivered under navicp contracts

Material:

Aluminum alloy

Material Specification:

Mil-b-23071 military specification single material response

Surface Treatment:

Aluminum

Surface Treatment Specification:

Mil-b-23071 military specification single treatment response

Style Designator:

Rounded tip

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0

Mil-std (military Standard):