NSN 4140-01-530-9145

Centrifugal Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-01-530-9145

| Stage Quantity: |
|--|
| 1 |
| Width: |
| 33.000 inches |
| Length: |
| 33.000 inches |
| Environmental Protection: |
| Spray tight |
| Operating Speed At Rated Capacity In Rpm: |
| 1800.0 |
| Outlet Inside Width: |
| 11.750 inches |
| Outlet Inside Height: |
| 19.625 inches |
| Static Pressure At Specificationified Air Flow Rate: |
| 0.0 inches of water |
| Drive Type: |
| Direct |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Type And Quantity: |
| 1 pedestal and 6 unthreaded hole |
| Rotation Direction For Which Designed: |
| Counterclockwise |
| Air Flow Rate: |
| 3000.0 cubic feet per minute |
| Outlet Location: |
| Bottom and top |
| Voltage In Volts And Current Type: |
| 440.0 ac |
| Prime Mover Power Rating: |
| 3.000 horsepower |
| Prime Mover Drive Shaft Bearing Type: |
| Ball |
| Discharge Direction: |
| Angular down and angular up and horizontal and vertical down and vertical up |
| Product Name: |
| High efficiency, non-sparking shipboard centrifugal fan |
| Special Features: |
| Surface treatment to be one coat of epoxy green prime (formula 150 ty1) and one coat of epoxy gray top coat(formula 150 ty1) |
| Height: |

41.250 inches

NSN 4140-01-530-9145

Centrifugal Fan - Page 2 of 2



Material:

Steel housing

Style Designator:

Fixed, rectangular outlets

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0