

View Online at <https://aerobasegroup.com/nsn/4140-01-563-1621>

**Speed Adjustments:**

Single speed

**Width:**

Between 10.2 millimeters and 10.8 millimeters

**Diameter:**

Between 59.7 millimeters and 60.3 millimeters

**Flow Direction:**

Inward

**Ambient Temperature At Full Rated Power:**

-10.0 degrees celsius and 65.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

5300.0

**Electrical Connection Type:**

Connector

**Static Pressure At Specificationified Air Flow Rate:**

5.0 millimeters of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Open

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

24.1 cubic feet per minute

**Voltage In Volts And Current Type:**

500.0 ac

**Prime Mover Power Rating:**

3.8 watts

**Prime Mover Drive Shaft Bearing Type:**

Ball and sleeve

**Product Name:**

Dc brushless fan 60x60x10 mm

**Shaft Bearing Type:**

Ball

**Phase:**

Single

**Special Features:**

Insulation resistance, 50m ohm min. At 500 vdc; bearing system 2xball; rated voltage 12; input current, 0.32; noise level dba, 37.9; weight, 26

**Frequency In Hertz:**

50.0 and 60.0

**Material:**

Plastic housing

**Quantity:**

1

**Style Designator:**

Closed sides single disk

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0