Circulating Fan - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/4140-01-595-3701



| Speed Adjustments:                                   |
|--|
| 0 to full speed                                      |
| Diameter:  |
| 305.0 millimeters                                    |
| Length:  |
| 84.0 millimeters                                     |
| Flow Direction:                                      |
| Outward  |
| Ambient Tempurature At Full Rated Power:             |
| 120.0 degrees fahrenheit                             |
| End Application:                                     |
| Mrap; c-mtv  |
| Electrical Connection Type:                          |
| Wire lead and connector                              |
| Static Pressure At Specificationified Air Flow Rate: |
| 0.0 inches of water                                  |
| Drive Type:  |
| Direct   |
| Prime Mover Type:                                    |
| Electric motor                                       |
| Inclosure Type:                                      |
| Guarded  |
| Mounting Facility Type And Quantity:                 |
| 8 bolt   |
| Rotation Direction For Which Designed:               |
| Clockwise  |
| Air Flow Rate:                                       |
| 1732.0 cubic feet per minute                         |
| Prime Mover Power Rating:                            |
| 280.0 watts  |
| Material:  |
| Aluminum alloy housing                               |
| Quantity:  |
| 2  |
| Style Designator:                                    |
| Fixed  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:                                     |
|  |
| Demilitarization:                                    |
| No   |

## NSN 4140-01-595-3701

Circulating Fan - Page 2 of 2

Fiig: A087a0

