

View Online at <https://aerobasegroup.com/nsn/4140-01-596-5624>

**Speed Adjustments:**

Single speed

**Width:**

5.910 inches

**Length:**

2.000 inches

**Flow Direction:**

Outward

**Ambient Temperature At Full Rated Power:**

-20.0 degrees celsius and 80.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

2300.0 and 2400.0

**End Application:**

An/usq-144k

**Electrical Connection Type:**

Terminal

**Static Pressure At Specificationified Air Flow Rate:**

0.5 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Partially enclosed

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Rotation Direction For Which Designed:**

Clockwise

**Air Flow Rate:**

Between 165.0 cubic feet per minute and 170.0 cubic feet per minute

**Voltage In Volts And Current Type:**

60.0 ac or 130.0 ac

**Prime Mover Power Rating:**

35.0 watts

**Housing Inside Diameter:**

6.380 inches

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Product Name:**

Ta1751san-m-110 fan

**Phase:**

Single

**Special Features:**

Single phase induction capacitor motor, impedance protection, life expectancy 60,000hrs at 45c - 50,000hrs at 65c, ul, cul, ce, tuv, vde approved

**Frequency In Hertz:**

50.0 and 60.0

**Height:**

6.770 inches

**Material:**

Plastic blade

**Style Designator:**

Fixed

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0