NSN 4210-00-203-3268

Automatic Sprinkler Control Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4210-00-203-3268 **Body Material: Brass** First End Flange Outside Diameter: **7.187** inches **Maximum Operating Pressure:** 250.0 pounds per square inch **Body Style:** Straight thru Stem Material: Steel, corrosion resisting **Furnished Items:** Test attachment Media For Which Designed: Water, fresh **First End Connection Type:** Plain face flange First End Style Designator: Plain First End Flange Shape Style: Round w/ bolt holes First End Flange Thickness: 1.000 inches First End Bolt Hole Quantity: First End Bolt Hole Diameter: 0.687 inches First End Bolt Circle Diameter: 6.062 inches Second End Relationship With First End: Identical **Seat Material: Brass Face To Face Distance:** 13.750 inches Flow Control Device:

Disk, flat

Flow Control Device Material:

Rubber

Valve Operation Method:

Diaphragm

End Connection Quantity:

NSN 4210-00-203-3268

Automatic Sprinkler Control Valve - Page 2 of 2



Bonnet Type:
Inside spring
Bonnet Attachment Method:
Bolted
Renewable Seat Ring Type:
Bonded
Sprinkler System For Which Designed:
Dry pipe
Valve Loading Spring Location:
Internal
Stem Movement Direction:
Ascending
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A07100