

View Online at <https://aerobasegroup.com/nsn/4210-00-262-7061>

Body Material:

Brass

First End Flange Outside Diameter:

6.625 inches

Maximum Operating Pressure:

100.0 pounds per square inch

Body Style:

Straight thru

Stem Material:

Nickel copper alloy

Furnished Items:

Test attachment and emergency manual operating device

Media For Which Designed:

Water, fresh

First End Connection Type:

Plain face flange

First End Style Designator:

Plain

First End Flange Shape Style:

Round w/ bolt holes

First End Flange Thickness:

0.500 inches

First End Bolt Hole Quantity:

8

First End Bolt Hole Diameter:

0.562 inches

First End Bolt Circle Diameter:

5.500 inches

Second End Relationship With First End:

Identical

Seat Material:

Brass

Face To Face Distance:

10.000 inches

Flow Control Device:

Disk, flat

Flow Control Device Material:

Leather

Valve Operation Method:

Piston

End Connection Quantity:

2

Bonnet Type:

Exposed spring

Bonnet Attachment Method:

Bolted

Renewable Seat Ring Type:

Bonded

Sprinkler System For Which Designed:

Dry pipe

Valve Loading Spring Location:

External

Stem Movement Direction:

Descending

Reference Number Differentiating Characteristics:

As differentiated by valve size 3 inch

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A07100