NSN 4210-00-618-7018

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4210-00-618-7018
Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
1.500 inches
Tempurature Rating:
-55.0 degrees fahrenheit single response and 160.0 degrees fahrenheit single response
Outside Diameter:
1.542 inches
Minimum Inside Bending Radius:
3.250 inches
Connection Style:
Swivel nut, gasket seal 1st end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal hose 1st end
Thready Qty Per Inch (tpi):
9 2nd end
Burst Test Pressure:
600.0 pounds per square inch
Layer Composition And Location:
Outer layer braided polyester cord
Maximum Operating Pressure:
300.0 pounds per square inch
Thread Size:
1.500 inches 2nd end
Outer Covering Environmental Protection:
Waterproof
Inside Surface Condition:
Smooth
Management Mathed And Longth

Measuring Method And Length:

1800.000 inches

Media For Which Designed:

Water, fresh single response

Thread Series Designator:

Nh 2nd end

Specification Or Standard:

3 type and b class and 1-1/2 size

Fsc Application Data:

Fire fighting equipment

NSN 4210-00-618-7018

Nonmetallic Hose Assembly - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0