## NSN 4210-01-076-3289

**Cross Sectional Shape:** 

**Minimum Inside Bending Radius:** 

Thread Direction:
Right-hand 1st end
Inside Diameter:
1.500 inches

Round

Fire Fighting Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4210-01-076-3289

7.500 Inches
Connection Style:
Plain optional end 1st end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal pipe 1st end
Burst Test Pressure:
1000.0 pounds per square inch
Layer Composition And Location:
Outer layer molded rubber, ethylene propylene diene err-100
Maximum Operating Pressure:
250.0 pounds per square inch
Thread Size:
1.500 inches 2nd end
Hydrostatic Test Pressure:
500.0 pounds per square inch
Outer Covering Environmental Protection:
Heat resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
1500.000 inches working
Special Features:
Noncollapsible
Thread Series Designator:
Npsh 2nd end
Specification Data:
81349-mil-h-24580/sh/ government specification
Specification Or Standard:
B type and 1-1/2 in. Size
Shelf Life:
N/a
Unit Of Measure:

## NSN 4210-01-076-3289

Fire Fighting Nonmetallic Hose Assembly - Page 2 of 2



em			

No

Fiig:

A542a0