

View Online at <https://aerobasegroup.com/nsn/4210-01-264-3871>

**Cross Sectional Shape:**

Round

**Thread Direction:**

Right-hand 1st end

**Inside Diameter:**

1.500 inches

**Unable To Decode:**

Unable to decode or unable to decode

**Exterior Color:**

Orange

**End Application:**

Ticonderoga class cg (47); wasp class lhd; forrestal class cv; nimitz class cvn; sturgeon class ssn (637); virginia class cgn (41); los angeles class ssn (688); tarawa class lha; oliver perry class ffg

**Connection Style:**

Swivel nut, gasket seal 1st end

**End Connection Design:**

Straight 2nd end

**Connection Type:**

Threaded internal hose 1st end

**Burst Test Pressure:**

900.0 pounds per square inch

**Layer Composition And Location:**

1st layer woven polyester fiber cord err-100

**Thread Size:**

1.500 inches 2nd end

**Hydrostatic Test Pressure:**

600.0 pounds per square inch

**Outer Covering Environmental Protection:**

Abrasion resistant and cold resistant and ozone resistant

**Inside Surface Condition:**

Smooth

**Measuring Method And Length:**

25.0 feet excluding end fittings

**Special Features:**

Includes gaskets

**Media For Which Designed:**

Water single response

**Thread Series Designator:**

Npsh 2nd end

**Specification Data:**

81349-mil-h-24606 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A542a0