

View Online at <https://aerobasegroup.com/nsn/4210-01-396-5219>

Prime Mover Quantity:

1

Submersibility:

Nonsubmersible

Prime Mover Type:

Diesel engine

Design Type:

Rescue

Reverse Speed Quantity:

1

Multifuel Usage Feature:

Not provided

Transmission Type:

Automatic

Speed Range Quantity:

1

Forward Speed Quantity Per Range:

3

Mounting Location:

Rear

Wheel Arrangement Style:

Dual wheels, single axle one end, single wheels, single axle opposite end

Aerial Ladder:

Not included

Chassis Size Designation:

4x2

Front Wheel Drive Feature:

Included

Cab Design:

Closed

Gross Weight Range:

+34500.0/+42500.0 pounds

Winch:

Included

Special Features:

Five man cab, hazardous material vehicle (hmv); intended to stow & transport hazardous materials response equipment for the purpose of mitigating chemical leaks, spills & releases in both on & off-road environments; provides a work station for purpose of research, command, control & communication; shall not exceed: 360 in l x 96 in w x 124 in h or 130 in for 4 x 4; utility body payload cap. 8000, gross weight rating (gvwr) of 34,000 lbs; dual parallel fuel filters, electric fuel priming pump; 12 v electrical & starting sys.

Supplementary Features:

Single alternator charging sys; 15amp battery charger; air or air-hydraulic anti-lock brakes; cab rear crew area w/three work stations; 12,000 lb winch; dual air horns; 20 kw 120/240 voltage, 60 hz pto driven generator; storage compartment for 14ft, 2 section ladder

Type/model Designation:

A/s32p-31

Shelf Life:

Unit Of Measure:

--

Demilitarization:

No

Fig:

T278-a