## NSN 4210-01-564-0004

Time Delay Pneumatic Trigger Device - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4210-01-564-0004

stainless steel, and cylinder material is chrome moly steel; cylinder capacity is 108 cubic inches  Material:  Copper alloy and stainless steel  Thread Size And Series/type Designator:  1.25-18 unf  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No	
Overall Diameter: 3.560 inches  End Application: Fire suppression sstem fm-200 yp-676 cl  Product Name: Nitrogen time delay  Special Features: Operating temperature range is 32 to 130 degrees farenheit; mas is 13.0 pounds; valve material is forged brass, metering tube material stainless steel, and cylinder material is chrome moly steel; cylinder capacity is 108 cubic inches  Material: Copper alloy and stainless steel Thread Size And Series/type Designator: 1.25-18 unf Shelf Life: N/a Unit Of Measure: Demilitarization: No	Overall Height:
3.560 inches  End Application:  Fire suppression sstem fm-200 yp-676 cl  Product Name:  Nitrogen time delay  Special Features:  Operating temperature range is 32 to 130 degrees farenheit; mas is 13.0 pounds; valve material is forged brass, metering tube material stainless steel, and cylinder material is chrome moly steel; cylinder capacity is 108 cubic inches  Material:  Copper alloy and stainless steel  Thread Size And Series/type Designator:  1.25-18 unf  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No	17.900 inches
End Application:  Fire suppression sstem fm-200 yp-676 cl  Product Name:  Nitrogen time delay  Special Features:  Operating temperature range is 32 to 130 degrees farenheit; mas is 13.0 pounds; valve material is forged brass, metering tube material stainless steel, and cylinder material is chrome moly steel; cylinder capacity is 108 cubic inches  Material:  Copper alloy and stainless steel  Thread Size And Series/type Designator:  1.25-18 unf  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No	Overall Diameter:
Fire suppression sstem fm-200 yp-676 cl  Product Name: Nitrogen time delay  Special Features: Operating temperature range is 32 to 130 degrees farenheit; mas is 13.0 pounds; valve material is forged brass, metering tube material stainless steel, and cylinder material is chrome moly steel; cylinder capacity is 108 cubic inches  Material: Copper alloy and stainless steel Thread Size And Series/type Designator: 1.25-18 unf Shelf Life: N/a Unit Of Measure: Demilitarization: No	3.560 inches
Product Name: Nitrogen time delay  Special Features: Operating temperature range is 32 to 130 degrees farenheit; mas is 13.0 pounds; valve material is forged brass, metering tube material stainless steel, and cylinder material is chrome moly steel; cylinder capacity is 108 cubic inches  Material: Copper alloy and stainless steel Thread Size And Series/type Designator: 1.25-18 unf Shelf Life: N/a Unit Of Measure: Demilitarization: No	End Application:
Nitrogen time delay  Special Features: Operating temperature range is 32 to 130 degrees farenheit; mas is 13.0 pounds; valve material is forged brass, metering tube material stainless steel, and cylinder material is chrome moly steel; cylinder capacity is 108 cubic inches  Material: Copper alloy and stainless steel  Thread Size And Series/type Designator: 1.25-18 unf  Shelf Life: N/a Unit Of Measure: Demilitarization: No	Fire suppression sstem fm-200 yp-676 cl
Special Features: Operating temperature range is 32 to 130 degrees farenheit; mas is 13.0 pounds; valve material is forged brass, metering tube material stainless steel, and cylinder material is chrome moly steel; cylinder capacity is 108 cubic inches  Material: Copper alloy and stainless steel Thread Size And Series/type Designator: 1.25-18 unf Shelf Life: N/a Unit Of Measure: Demilitarization: No	Product Name:
Operating temperature range is 32 to 130 degrees farenheit; mas is 13.0 pounds; valve material is forged brass, metering tube material stainless steel, and cylinder material is chrome moly steel; cylinder capacity is 108 cubic inches  Material:  Copper alloy and stainless steel  Thread Size And Series/type Designator:  1.25-18 unf  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No	Nitrogen time delay
stainless steel, and cylinder material is chrome moly steel; cylinder capacity is 108 cubic inches  Material:  Copper alloy and stainless steel  Thread Size And Series/type Designator:  1.25-18 unf  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No	Special Features:
Material: Copper alloy and stainless steel Thread Size And Series/type Designator: 1.25-18 unf Shelf Life: N/a Unit Of Measure: Demilitarization: No	Operating temperature range is 32 to 130 degrees farenheit; mas is 13.0 pounds; valve material is forged brass, metering tube material is
Copper alloy and stainless steel  Thread Size And Series/type Designator:  1.25-18 unf  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No	stainless steel, and cylinder material is chrome moly steel; cylinder capacity is 108 cubic inches
Thread Size And Series/type Designator:  1.25-18 unf  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No	Material:
1.25-18 unf  Shelf Life: N/a Unit Of Measure: Demilitarization: No	Copper alloy and stainless steel
Shelf Life:  N/a  Unit Of Measure:  Demilitarization:  No	Thread Size And Series/type Designator:
N/a Unit Of Measure: Demilitarization: No	1.25-18 unf
Unit Of Measure: Demilitarization: No	Shelf Life:
Demilitarization: No	N/a
Demilitarization: No	Unit Of Measure:
No	
	Demilitarization:
Film.	No
riig:	Fiig:
A23900	A23900