

View Online at <https://aerobasegroup.com/nsn/4310-00-055-0661>

Brake Horsepower Required:

1.000

Mounting Type:

Hand carry

Stage Quantity:

1

Intake Connection Quantity:

1

Intake Connection Type:

Flanged

Discharge Connection Quantity:

1

Discharge Connection Type:

Flanged

Drive Connection Type:

Rigid coupled

Body Surface Treatment:

Any acceptable

Current Type:

Ac

Cooling Medium:

Air

Vacuum Rating:

0.1 millitorr

Pump Quantity:

1

Pump Body Material:

Aluminum alloy

Specific Gas For Which Designed:

Air

Pumping Element Type:

Sliding vane

Intake Connection Outside Diameter:

0.750 inches

Operating Speed At Rated Capacity In Rpm:

1725.0

Air Displacement Rate:

7.0 cubic feet per minute in free air

System Design:

Noncorrosive

Prime Mover Type:

Electric motor

Current Rating In Amps:

6.5

Voltage In Volts:

115.0

Phase:

Single

Special Features:

Can be wired for 230.0 volts; centering ring and clamp provided for intake and exhaust flanges

Frequency In Hertz:

50.0 and 60.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A06700